

## CLAIM AMENDMENT

Please **CANCEL** claims 13, 16 and 18 without prejudice or disclaimer.

Please **AMEND** claims 1, 5, 14, 15 and 17, as follows.

1. (Currently Amended) An apparatus for controlling a focus position, comprising:  
a display screen for displaying an image corresponding to a subject and a mark  
representing ~~the~~ a focus position on the image;  
a touch screen for moving the mark on said display screen; ~~and~~  
a first memory unit for storing image data corresponding the image;  
focus control means for controlling ~~to~~ the focus on a position of the subject  
corresponding to said mark and for compressing the image data stored in the first memory unit;  
and  
a second memory unit for storing the compressed image data.

4. (Previously Amended) The apparatus of claim 1, wherein said focus control  
means further calculates the focus position by processing image data corresponding to the mark  
moved by said touch screen in order to focus the position of subject corresponding to the mark.

5. (Currently Amended) A digital still camera, comprising:  
display means for showing an image corresponding to a subject and a mark representing  
~~the~~ a focus position on the image;  
first image store means for storing image data corresponding to the image;  
a touch screen for moving the mark on said display means; ~~and~~

focus control means for controlling the focus on a position of the subject corresponding to the mark and for compressing the image data stored in the first memory unit; and

second image store means for storing the compressed image data.

7. (Previously Amended) The digital still camera of claim 5, wherein said display means comprises a display screen that shows the image and the mark.

8. (Previously Amended) The digital still camera of claim 5, wherein said touch screen is established on a camera body.

11. (Previously Amended) The digital still camera of claim 5, wherein said focus control means further calculates the focus position by processing image data corresponding to the mark moved by said touch screen in order to focus the position of the subject corresponding to the mark according to the focus position calculation.

13. (Currently Cancelled)

14. (Currently Amended) The digital still camera of claim 13, wherein said focus control means ~~compresses image data stored in said first image storage unit and restores the~~ compressed image data stored in said second image storage means ~~unit~~.

15. (Currently Amended) A method for a digital still camera operator to control a focus position with the camera, comprising the steps of:

(a) displaying a subject and a focus mark on a display screen;

(b) storing image data corresponding to the subject;

(c) compressing the stored image data;

~~(b)~~(d) determining a position on the display screen to which the operator relocates the focus position based on the operator's manipulation of a touch screen;

~~(e)~~(e) displaying the focus mark on the position to which the operator relocates the focus position; ~~and~~

~~(d)~~(f) focusing the camera corresponding to the relocated focus position; and

(g) restoring the compressed image data.

16. (Currently Cancelled)

17. (Currently Amended) The method of claim 15, wherein said focusing step ~~(d)~~ (f) further comprises the sub-step of: calculating said focus position by processing image data corresponding to said relocated focus position.

18. (Currently Cancelled)

19. (Original) The method of claim 17, wherein said calculating step comprises the sub-steps of:

generating an address of a memory storing image data corresponding to a coordinates of said relocated focus position;

reading image data stored in said address; and

calculating the focus position by processing said read image data.